

from plus search  
→

	Type	Hits	Search Text
1	BRS	35	"5581696"
2	BRS	23	"5581696" and ((priority or precedence or order\$3) with (code or statement\$1 or program or software))
3	BRS	1	"5581696" and ((priority or precedence) with (code or statement\$1 or program or software))
4	BRS	70	717/124.ccls. and (priority or precedence)
5	BRS	41	717/124.ccls. and (priority or precedence) and @ad<20000726
6	BRS	4	717/124.ccls. and ((priority or precedence) with (code or statement)) and @ad<20000726
7	BRS	4	717/124.ccls. and ((priorit\$4 or precedence) with (code or statement)) and @ad<20000726
8	BRS	8	717/124.ccls. and ((priorit\$4 or precedence or weight\$2) with (code or statement)) and @ad<20000726
9	BRS	1	717/124.ccls. and ((priorit\$4 or precedence or weight\$2 or rank\$3 or importance or probab\$6) with (code or statement) with (error or fault or mistake or bug)) and @ad<20000726
10	BRS	2	717/124.ccls. and ((priorit\$4 or precedence or weight\$2 or rank\$3 or importance or probab\$6) with (code or statement) same (error or fault or mistake or bug)) and @ad<20000726
11	BRS	12	717/124.ccls. and ((priorit\$4 or precedence or weight\$2 or rank\$3 or importance or probab\$6) with (code or statement)) and @ad<20000726
12	BRS	4	(717/124.ccls. and ((priorit\$4 or precedence or weight\$2) with (code or statement)) and @ad<20000726) not (717/124.ccls. and ((priorit\$4 or precedence) with (code or statement)) and @ad<20000726)
13	BRS	4	(717/124.ccls. and ((priorit\$4 or precedence or weight\$2 or rank\$3 or importance or probab\$6) with (code or statement)) and @ad<20000726) not (717/124.ccls. and ((priorit\$4 or precedence or weight\$2) with (code or statement)) and @ad<20000726)
14	BRS	2	"5581458" and ((priorit\$4 or precedence or weight\$2 or rank\$3 or importance or probab\$6))

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>
1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 13:05	
2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 13:08	
3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 13:14	
4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 13:15	
5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 14:07	
6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 13:40	
7	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 13:40	
8	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 13:54	
9	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 13:56	
10	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 13:57	
11	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 14:20	
12	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 14:02	
13	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 14:51	
14	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 14:23	

	Error Definition	Errors
1		0
2		0
3		0
4		0
5		0
6		0
7		0
8		0
9		0
10		0
11		0
12		0
13		0
14		0

	Type	Hits	Search Text
15	BRS	11	"5708774" and ((priorit\$4 or precedence or weight\$2 or rank\$3 or importance or probab\$6))
16	BRS	10	"5708774" and ((priorit\$4 or precedence or weight\$2 or rank\$3 or importance or probab\$6)) and @ad<20000726
17	BRS	2091	code with debug\$3
18	BRS	1401	code with debug\$3 and (error or fault or bug)
19	BRS	266	code with debug\$3 and ((error or fault or bug) with value)
20	BRS	0	(code with debug\$3 and ((error or fault or bug) with value)).ab.
21	BRS	21	(code with debug\$3 and ((error or fault or bug))).ab.
22	BRS	18	((code with debug\$3 and ((error or fault or bug))).ab.) and @ad<20000726
23	BRS	163	code with debug\$3 and ((error or fault or bug) with value) and @ad<20000726
24	BRS	529	debug\$3 and ((code or (program adj statement\$1)) with ((priorit\$3 or prcedence or (more adj likely) or (most adj likely) or rank\$3 or relevance or weight\$3 or (order\$3 adj (importance or usefulness))))))
25	BRS	343	debug\$3 and ((code or (program adj statement\$1)) with ((priorit\$3 or prcedence or (more adj likely) or (most adj likely) or rank\$3 or relevance or weight\$3 or (order\$3 adj (importance or usefulness)))))) and @ad<20000726
26	BRS	26	debug\$3 same ((code or (program adj statement\$1)) with ((priorit\$3 or prcedence or (more adj likely) or (most adj likely) or rank\$3 or relevance or weight\$3 or (order\$3 adj (importance or usefulness)))))) and @ad<20000726
27	BRS	1714	processor same debug\$3 same (program or software or code)
28	BRS	658	processor same debug\$3 same (program or software or code) and (memory with debug\$3)
29	BRS	142	processor same debug\$3 same (program or software or code) and (memory with debug\$3) and (error with (location or set or group or value))

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>
15	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 14:35	
16	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 10:08	
17	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 14:53	
18	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 14:54	
19	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 14:55	
20	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 14:55	
21	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 14:55	
22	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 14:56	
23	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 15:20	
24	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 15:39	
25	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 16:45	
26	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 14:12	
27	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 16:47	
28	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 16:47	
29	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 16:58	

	Type	Hits	Search Text
30	BRS	0	processor same debug\$3 same (program or software or code) and (memory with debug\$3) and (error with (location or set or group or value) with (precedence or importance or rank\$3 or order43 or priorit\$3 or
31	BRS	0	processor same debug\$3 same (program or software or code) and (error with (location or set or group or value) with (precedence or importance or rank\$3 or order43 or priorit\$3 or weight\$3))
32	BRS	2	processor same debug\$3 same (program or software or code) and (error with (location or set or group or value) same (precedence or importance or rank\$3 or order43 or priorit\$3 or weight\$3))
33	BRS	70	processor same debug\$3 same (program or software or code) and (memory with debug\$3) and (error with (location or set or group or value)) and @ad<20000726
34	BRS	109324	(program or code or software) and ((variable\$1 or error\$1) with (value\$1 or status or state\$1 or field\$1 or result\$1)) and (probab\$5 or likel\$5 or frequency or possibility or chance or statistic\$2 or (numerical with measure)) and (debug\$4 or detect\$4 or analyze or test\$3)
35	BRS	5648	(program or code or software) and ((variable\$1 or error\$1) with (value\$1 or status or state\$1 or field\$1 or result\$1)) and (probab\$5 or likel\$5 or frequency or possibility or chance or statistic\$2 or (numerical with measure)) and (debug\$4)
36	BRS	5280	(program or code or software) and ((variable\$1 or error\$1) with (value\$1 or status or state\$1 or field\$1 or result\$1)) and ((probable or probability) or (likely or likelihood) or frequency or possibility or chance or (statistical with chance) or (numerical with measure))
37	BRS	5413	(program or code or software) and ((variable\$1 or error\$1) with (value\$1 or status or state\$1 or field\$1 or result\$1)) and ((probable or probability) or (likely or likelihood) or frequency or possibility or chance or (statistical) or (numerical with measure)) and (debug\$4)

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>
30	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 16:57	
31	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 16:57	
32	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 16:58	
33	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/24 16:58	
34	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 11:46	
35	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 11:46	
36	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 11:47	
37	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 11:48	

	Type	Hits	Search Text
38	BRS	3903	(program or code or software) and ((error\$1) with (value\$1 or status or state\$1 or field\$1 or result\$1)) and ((probable or probability) or (likely or likelihood) or frequency or possibility or chance or (statistical) or (numerical with measure)) and (debug\$4)
39	BRS	3883	(program or code or software) and ((error\$1) with (value\$1 or status or state\$1 or field\$1 or result\$1)) and ((probability) or (likely or likelihood) or frequency or possibility or chance or (statistical) or (numerical with measure)) and (debug\$4)
40	BRS	2560	((program or code or software) and ((error\$1) with (value\$1 or status or state\$1 or field\$1 or result\$1)) and ((probability) or (likely or likelihood) or frequency or possibility or chance or (statistical) or (numerical with measure)) and (debug\$4)) and @ad<20000726
41	BRS	5	((program or code or software) and ((error\$1) with (value\$1 or status or state\$1 or field\$1 or result\$1)) and ((probability) or (likely or likelihood) or frequency or possibility or chance or (statistical) or (numerical with measure)) and (debug\$4)).ab. and @ad<20000726
42	BRS	42	((program or code or software) and ((error\$1 or variable\$1) with (value\$1 or status or state\$1 or field\$1 or result\$1)) and ((probable or probability) or (likely or likelihood) or frequency or possibility or chance or (statistical) or (numerical with measure)) and (debug\$4 or test\$3 or analyze)).ab. and @ad<20000726
43	BRS	2626	((program or code or software) and ((error\$1 or variable\$1) with (value\$1 or status or state\$1 or result\$1)) and ((probability) or (likely or likelihood) or possibility or chance) and (debug\$4)) and @ad<20000726
44	BRS	1091	((error\$1) with (value\$1 or status or state\$1 or field\$1 or result\$1)) and ((probability) or (likely or likelihood) or frequency or possibility or chance or (statistical) or (numerical with measure)) and (debug\$4) with (program or code or software)) and @ad<20000726
45	BRS	711	((error\$1) with (value\$1 or status or state\$1 or field\$1 or result\$1)) and ((probability) or (likely or likelihood) or possibility or chance) and (debug\$4) with (code or program)) and @ad<20000726



	DBs	Time Stamp	Comments
38	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 11:48	
39	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 11:48	
40	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 13:26	
41	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 11:50	
42	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 11:51	
43	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 13:25	
44	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 13:26	
45	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 13:29	

	Type	Hits	Search Text
46	BRS	697	((error\$1) with (value\$1 or status or state\$1 or result\$1)) and ((probability) or (likely or likelihood) or possibility or chance) and (debug\$4) with (code or program)) and @ad<20000726
47	BRS	425	((error\$1) with (value\$1 or status or state\$1 or result\$1)) and ((probability) or (likely or likelihood) or possibility or chance) and (debug\$4) with (code)) and
48	BRS	425	((error\$1) with (value\$1 or status or state\$1 or result\$1)) and ((probability) or (likely or likelihood) or possibility or chance) and (debug\$4) with (code) and (group or set or section or slice or collection)) and
49	BRS	425	((error\$1) with (value\$1 or status or state\$1 or result\$1)) and ((probability) or (likely or likelihood) or possibility or chance) and (debug\$4) with (code) and (group or set)) and @ad<20000726
50	BRS	379	((error\$1) with (value\$1 or state\$1 or result\$1)) and ((probability) or (likely or likelihood) or possibility or chance) and (debug\$4) with (code) and (group or set)) and @ad<20000726
51	BRS	279	((error\$1) with (value\$1 or state\$1)) and ((probability) or (likely or likelihood) or possibility or chance) and (debug\$4) with (code) and (group or set)) and @ad<20000726
52	BRS	244	((error\$1) with (value\$1 or state\$1)) and ((probability) or (likelihood) or possibility or chance) and (debug\$4) with (code) and (group or set)) and @ad<20000726
53	BRS	244	((error\$1) with (value\$1 or state\$1)) and ((probability) or (likelihood) or possibility or chance) and (debug\$4) with (code) and (group or set)) and @ad<20000726
54	BRS	0	714/\$.ccls.
55	BRS	43942	714/\$.ccls.
56	BRS	11750	714/\$.ccls. and (error or fault) with (detection or location or probability)
57	BRS	1647	714/\$.ccls. and (error or fault) with (probability) and @ad<20000726

	DBs	Time Stamp	Comments
46	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 13:29	
47	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 13:29	
48	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 13:31	
49	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 13:32	
50	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 13:33	
51	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 13:33	
52	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 13:33	
53	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 15:08	
54	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 15:09	
55	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 15:10	
56	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 15:11	
57	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 15:13	

	Type	Hits	Search Text
58	BRS	508	714/\$.ccls. and (error or fault) with (probability) and @ad<20000726 not decod\$4
59	BRS	417	714/\$.ccls. and (error or fault) with (probability) and @ad<20000726 not decod\$4 and (program or application or software or code)
60	BRS	105495	(error or fault or bug) same (probab\$6 or likel\$5 or chance or order\$3 or priorit\$3 or rank\$3 or statistic\$2) and @ad<20000726
61	BRS	20076	(program or code or application or software) and (debug\$4)
62	BRS	2730	((error or fault or bug) same (probab\$6 or likel\$5 or chance or order\$3 or priorit\$3 or rank\$3 or statistic\$2) and @ad<20000726) and ((program or code or application or software) and (debug\$4))
63	BRS	2730	((error or fault or bug) same (probab\$6 or likel\$5 or chance or order\$3 or priorit\$3 or rank\$3 or statistic\$2) and @ad<20000726) and ((program or code or application or software) and (debug\$4))) and
64	BRS	58612	(error or fault or bug) with (probab\$6 or likel\$5 or chance or order\$3 or priorit\$3 or rank\$3 or statistic\$2) and @ad<20000726
65	BRS	2730	((error or fault or bug) same (probab\$6 or likel\$5 or chance or order\$3 or priorit\$3 or rank\$3 or statistic\$2) and @ad<20000726) and ((program or code or application or software) and (debug\$4))) and @ad<20000726 and ((program or code or application or software) and (debug\$4))
66	BRS	1458	((error or fault or bug) with (probab\$6 or likel\$5 or chance or order\$3 or priorit\$3 or rank\$3 or statistic\$2) and @ad<20000726) and ((program or code or application or software) and (debug\$4))
67	BRS	55368	(error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726
68	BRS	1349	((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) and ((program or code or application or software) and (debug\$4))

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>
58	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 15:14	
59	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 15:52	
60	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 16:00	
61	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 16:06	
62	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 15:58	
63	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 15:59	
64	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 16:01	
65	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 16:01	
66	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 16:01	
67	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 16:11	
68	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 16:03	

	Type	Hits	Search Text
69	BRS	581	((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) and ((program or code or application or software) and (debug\$4))) not decod\$3
70	BRS	581	((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) and ((program or code or application or software) and (debug\$4))) not decod\$3 and @ad<20000726
71	BRS	569	((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) and ((program or code or application or software) and (debug\$4))) not decod\$3 and @ad<20000726
72	BRS	315	((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) and ((program or code or application or software) and (debug\$4))) not decod\$3 and @ad<20000726 not fault
73	BRS	260	((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) and ((program or code or application or software) and (debug\$4))) not decod\$3 and @ad<20000726 not fault not bug
74	BRS	10522	(program or code or application or software) with (debug\$4)
75	BRS	639	((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) and ((program or code or application or software) with (debug\$4))
76	BRS	307	((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) and ((program or code or application or software) with (debug\$4))) not decod\$3
77	BRS	80	((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) and ((program or code or application or software) with (debug\$4))) not application

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>
69	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 16:04	
70	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 16:04	
71	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/25 16:05	
72	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/25 16:05	
73	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/25 16:06	
74	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 16:10	
75	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 16:08	
76	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 16:08	
77	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 16:09	

	Type	Hits	Search Text
78	BRS	7484	(program or code or application or software) with (debug\$4)
79	BRS	49337	(error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726
80	BRS	629	((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726)
81	BRS	297	((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3
82	BRS	182	((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not (in adj order)
83	BRS	107	717/161
84	BRS	74	717/161.ccls.
85	BRS	52	717/161.ccls. and @ad<20000726
86	BRS	0	717/161.ccls. and @ad<20000726 and degug\$5
87	BRS	3	717/161.ccls. and @ad<20000726 and debug\$5
88	BRS	42	((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3 and ((print\$3 or display\$3 or show\$3 or file) with ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or



	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>
78	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/25 16:10	
79	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/25 16:11	
80	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/25 16:11	
81	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 13:58	
82	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/25 16:13	
83	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 16:03	
84	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 11:39	
85	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 11:45	
86	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 11:45	
87	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 11:45	
88	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:38	

	Type	Hits	Search Text
89	BRS	255	((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3 not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3 and ((print\$3 or display\$3 or show\$3 or file) with ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3))))
90	BRS	2	((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3 not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3 and ((print\$3 or display\$3 or show\$3 or file) with ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3)))) and (717/124.ccls. and (priority or precedence) and @ad<20000726)

	DBs	Time Stamp	Comments
89	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 14:47	
90	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 14:15	

	Type	Hits	Search Text
91	BRS	3	<p>(((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad&lt;20000726) not decod\$3 not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad&lt;20000726) not decod\$3 and ((print\$3 or display\$3 or show\$3 or file) with ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3)))) not (717/124.ccls. and (priority or precedence) and @ad&lt;20000726) ) not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad&lt;20000726) not decod\$3 not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad&lt;20000726) not decod\$3 and ((print\$3 or display\$3 or show\$3 or file) with ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3)))) not (717/124.ccls. and (priority or precedence) and @ad&lt;20000726) ) not (debug\$3 same ((code or (program adj statement\$1)) with ((priorit\$3 or prcedence or (more adj likely) or (most adj likely) or rank\$3 or relevance or weight\$3 or (order\$3 adj (importance or usefulness)))) and @ad&lt;20000726))</p>

	DBs	Time Stamp	Comments
91	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 14:13	

	Type	Hits	Search Text
92	BRS	250	(((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3 not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3 and ((print\$3 or display\$3 or show\$3 or file) with ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3)))))) not (717/124.ccls. and (priority or precedence) and @ad<20000726) ) not (debug\$3 same ((code or (program adj statement\$1)) with ((priorit\$3 or prcedence or (more adj likely) or (most adj likely) or rank\$3 or relevance or weight\$3 or (order\$3 adj (importance or usefulness)))))) and @ad<20000726)
93	BRS	253	(((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3 not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3 and ((print\$3 or display\$3 or show\$3 or file) with ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3)))))) not (717/124.ccls. and (priority or precedence) and @ad<20000726)

	DBs	Time Stamp	Comments
92	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:04	
93	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 14:15	

	Type	Hits	Search Text
94	BRS	28	((program or code or application or software) with (debug\$4)).ab. and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3 not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3 and ((print\$3 or display\$3 or show\$3 or file) with ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3))))



	DBs	Time Stamp	Comments
94	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:22	

	Type	Hits	Search Text
95	BRS	224	<p>(((((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad&lt;20000726) not decod\$3 not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad&lt;20000726) not decod\$3 and ((print\$3 or display\$3 or show\$3 or file) with ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3)))))) not (717/124.ccls. and (priority or precedence) and @ad&lt;20000726) ) not (debug\$3 same ((code or (program adj statement\$1)) with ((priorit\$3 or prcedence or (more adj likely) or (most adj likely) or rank\$3 or relevance or weight\$3 or (order\$3 adj (importance or usefulness)))))) and @ad&lt;20000726)) not (((program or code or application or software) with (debug\$4)).ab. and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad&lt;20000726) not decod\$3 not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad&lt;20000726) not decod\$3 and ((print\$3 or display\$3 or show\$3 or file) with ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3))))))</p>
96	BRS	9003	<p>((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.</p>
97	BRS	6656	<p>(((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad&lt;20000726</p>
98	BRS	172772	<p>((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)</p>

	DBs	Time Stamp	Comments
95	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:04	
96	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:25	
97	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:27	
98	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 16:50	

	Error Definition	Errors
95		0
96		0
97		0
98		0

	Type	Hits	Search Text
99	BRS	119568	((((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726
100	BRS	1644	(((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)
101	BRS	151	(((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) not ((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726)
102	BRS	1493	(((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>
99	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:31	
100	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:31	
101	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:37	
102	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:44	

	Error Definition	Errors
99		0
100		0
101		0
102		0

	Type	Hits	Search Text
103	BRS	828	((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726) and computer\$2
104	BRS	1037	((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726) and (computer\$2 or software or program)
105	BRS	109	(((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726) and (computer\$2 or software or program)) not (((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726) and (computer\$2 or software))



	DBs	Time Stamp	Comments
103	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:45	
104	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:45	
105	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:46	

	Error Definition	Errors
103		0
104		0
105		0

	Type	Hits	Search Text
106	BRS	928	(((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726) and (computer\$2 or software)
107	BRS	1401	(((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726) and (computer\$2 or software or code)
108	BRS	1356	(((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726) and (software or code)
109	BRS	571	(((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726) and (software or (program\$4 adj code\$4))

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>
106	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:53	
107	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:54	
108	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:54	
109	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 16:42	

	Error Definition	Errors
106		0
107		0
108		0
109		0

	Type	Hits	Search Text
110	BRS	538	(((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726) and (software or (program\$4 adj code\$4))) not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3 not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad<20000726) not decod\$3 and ((print\$3 or display\$3 or show\$3 or file) with ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3))))))

	DBs	Time Stamp	Comments
110	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 15:55	

	Error Definition	Errors
110		0



	Type	Hits	Search Text
111	BRS	33	<p>(((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad&lt;20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad&lt;20000726)) and @ad&lt;19990726) and (software or (program\$4 adj code\$4))) not</p> <p>(((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad&lt;20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad&lt;20000726)) and @ad&lt;19990726) and (software or (program\$4 adj code\$4))) not</p> <p>((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad&lt;20000726) not decod\$3 not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad&lt;20000726) not decod\$3 and ((print\$3 or display\$3 or show\$3 or file) with ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3))))))</p>
112	BRS	714	<p>(((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad&lt;20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad&lt;20000726)) and @ad&lt;19990726) and (software or code)) and (processor\$2 or microprocessor\$2)</p>

	DBs	Time Stamp	Comments
111	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 16:37	
112	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 16:04	

	Error Definition	Errors
111		0
112		0

	Type	Hits	Search Text
113	BRS	473	(((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726) and (software or (program\$4 adj code\$4))) and memory
114	BRS	473	(((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726) and (software or (program\$4 adj code\$4))) and memory) and (((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad<20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad<20000726)) and @ad<19990726) and (software or (program\$4 adj code\$4)))

	DBs	Time Stamp	Comments
113	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 16:04	
114	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 16:05	

	Error Definition	Errors
113		0
114		0

	Type	Hits	Search Text
115	BRS	31	<p>(((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad&lt;20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad&lt;20000726)) and @ad&lt;19990726) and (software or (program\$4 adj code\$4))) and memory) and ((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad&lt;20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad&lt;20000726)) and @ad&lt;19990726) and (software or (program\$4 adj code\$4)))) not (((((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad&lt;20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad&lt;20000726)) and @ad&lt;19990726) and (software or (program\$4 adj code\$4))) and memory) and ((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad&lt;20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad&lt;20000726)) and @ad&lt;19990726) and (software or</p>

	DBs	Time Stamp	Comments
115	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 16:09	



	Error Definition	Errors
115		0

	Type	Hits	Search Text
116	BRS	442	<p>(((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad&lt;20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad&lt;20000726)) and @ad&lt;19990726) and (software or (program\$4 adj code\$4))) and memory) and ((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad&lt;20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad&lt;20000726)) and @ad&lt;19990726) and (software or (program\$4 adj code\$4)))) not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad&lt;20000726) not decod\$3 not (((program or code or application or software) with (debug\$4)) and ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3) and @ad&lt;20000726) not decod\$3 and ((print\$3 or display\$3 or show\$3 or file) with ((error or fault or bug) with ((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3))))))</p>
117	BRS	617	<p>(((((((program or code or application or software) with (debug\$5 or error\$2 or fault\$2 or bug\$2 or failure\$1 or problem\$1)).ab.) and @ad&lt;20000726) and (((probable or probability) or (likely or likelihood) or chance or order\$3 or priorit\$3 or rank\$3 or best or scor\$4 or fit\$6 or schedul\$4) near3 (error\$2 or fault\$2 or problem\$2 or failure\$1)) and @ad&lt;20000726)) and @ad&lt;19990726) and (software or ((program\$4 or software) near3</p>

	DBs	Time Stamp	Comments
116	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/27 11:06	
117	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/26 16:54	